



SAFETY DATA SHEET

Chewing Gum Remover Aerosol - Freezer Spray

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Chewing Gum Remover Aerosol - Freezer Spray
PRODUCT NO. 19047
SUPPLIER Premiere Products
 Oakley Gardens,
 Bouncers Lane,
 Cheltenham, GLOS GL52 5JD
 01242 537103
 01242 537177
 Fax - 01242 528445
 laboratory@premiereproducts.co.uk

2 HAZARDS IDENTIFICATION

Extremely flammable.

CLASSIFICATION F+;R12.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
1,1,1,2-TETRAFLUOROETHANE	212-377-0	811-97-2	50-70%	-
BUTANE	203-448-7	106-97-8	36-50	F+;R12

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention.

INGESTION

Remove victim immediately from source of exposure. Rinse nose, mouth and throat with water. Get medical attention.

SKIN CONTACT

Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use: Carbon dioxide (CO2).

SPECIAL FIRE FIGHTING PROCEDURES

Be aware of danger of explosion. Use pressurised air mask if product is involved in a fire.

UNUSUAL FIRE & EXPLOSION HAZARDS

May explode when heated or when exposed to flames or sparks. Aerosol cans may explode in a fire.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

For personal protection, see section 8.

Chewing Gum Remover Aerosol - Freezer Spray

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Avoid contact with skin or inhalation of spillage, dust or vapour. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations.

STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in tightly closed original container in a dry and cool place.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
1,1,1,2-TETRAFLUOROETHANE	WEL	1000 ppm				
BUTANE	WEL	600 ppm	1450 mg/m ³	750 ppm	1810 mg/m ³	

WEL = Workplace Exposure Limit.

PROTECTIVE EQUIPMENT



RESPIRATORY EQUIPMENT

No specific recommendations.

HAND PROTECTION

Use protective gloves.

EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Aerosol
ODOUR	Solvent.
RELATIVE DENSITY	0.94

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.

11 TOXICOLOGICAL INFORMATION

INHALATION

Vapour from this chemical can be hazardous when inhaled.

INGESTION

No specific health warnings noted.

Chewing Gum Remover Aerosol - Freezer Spray

SKIN CONTACT

Repeated exposure may cause skin dryness or cracking.

EYE CONTACT

May cause severe irritation to eyes.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

DEGRADABILITY

The product is biodegradable.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

UN NO. ROAD	1950	ADR CLASS NO.	2
IMDG CLASS	2	IMDG PACK GR.	II
AIR CLASS	2.2		

15 REGULATORY INFORMATION

LABELLING



Extremely Flammable

RISK PHRASES

R12 Extremely flammable.

SAFETY PHRASES

S1/2 Keep locked up and out of the reach of children.
S9 Keep container in a well-ventilated place.
S16 Keep away from sources of ignition - No smoking.
S51 Use only in well-ventilated areas.
S60 This material and its container must be disposed of as hazardous waste.

16 OTHER INFORMATION

SDS NO. 6
DATE 11/09
RISK PHRASES IN FULL
NC Not classified.
R12 Extremely flammable.